BRAIN RESEARCH

VOL. 624 NOS. 1/2 CONTENTS 8 OCTOBER 1993

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of Manuscripts vii

Research Reports

Where does damage lead to enhanced food aversion: the ventral pallidum/substantia innominata or lateral hypothalamus?
H.C. Cromwell and K.C. Berridge (USA) 1

Increased spontaneous unit discharge rates following electrical kindling in the rat
G.C. Teskey and R.J. Racine (Canada) 11

Autonomic areas of rat brain exhibit increased Fos-like immunoreactivity during opiate withdrawal in rats
R.L. Stornetta, F.E. Norton and P.G. Guyenet (USA) 19

Norepinephrine turnover in the goldfish brain is modulated by sex steroids and GABA
V.L. Trudeau, B.D. Sloley and R.E. Peter (Canada) 29

Loss of serotonin uptake sites and immunoreactivity in rat cortex after dexfenfluramine occur without parallel glial cell reactions
N.E. Rowland, A.N. Kalehua, B.-H. Li, S.L. Semple-Rowland and W.J. Streit (USA) 35

Pressor response to microinjection of clonidine into the hypothalamic paraventricular nucleus in conscious rats
H. Ebihara, H. Kawasaki, S. Nakamura, K. Takasaki and A. Wada (Japan) 44

Role of IL-1α in central nervous system immunomodulation of glucoregulation
C.H. Lang, P.E. Molina, K.A. Yousef, P.G. Tepper and N.N. Abumrad (USA) 53

Intracerebroventricular injection of interleukin-1β induces hyperalgesia in rats
T. Oka, S. Aou and T. Hori (Japan) 61

Differential regulation of tyrosine hydroxylase protein and activity in rabbit sympathetic neurones after long-term cold exposure: altered responses in ageing
T. Andrews, J. Lincoln, P. Milner, G. Burnstock and T. Cowen (UK) 69

Neuronal vs. glial somatostatin in the hypothalamus: a cell culture study of the ontogenesis of cellular location, content and release
K. Davidson and G.E. Gillies (UK) 75

Protein kinase C isozymes that mediate enhancement of neurite outgrowth by ethanol and phorbol esters in PC12 cells
R. Roivainen, T. McMahon and R.O. Messing (USA) 85

Concussive brain injury is associated with a prolonged accumulation of calcium: a ^{45}Ca autoradiographic study
I. Fineman, D.A. Hovda, M. Smith, A. Yoshino and D.P. Becker (USA) 94

Intracellular calcium changes associated with cholinergic nicotinic receptor activation in cultured myenteric plexus neurones
J. Trouslard, R. Mirsky, K.R. Jessen, G. Burnstock and D.A. Brown (UK) 103

Possible role of the N-terminus of substance P in kainic acid-induced toxicity in rats
R.A. Velázquez, X. Sun, H.J. Kurtz and A.A. Larson (USA) 109

Circadian rhythms of vasopressin release in primary cultures of rat suprachiasmatic nucleus
K. Watanabe, N. Koibuchi, H. Ohtake and S. Yamaoka (Japan) 115

β-Amyloid peptides induce degeneration of cultured rat microglia
A.R. Korotzer, C.J. Pike and C.W. Cotman (USA) 121

Effects of systemic administration of 6-hydroxydopamine, 6-hydroxydopa and 1-methyl-4-phenyl-1,2,3,6-tetrahydroxypyridine (MPTP) on tuberoinfundibular dopaminergic neurons in the rat
J.-Y. Lin, L.-M. Mai and J.-T. Pan (Taiwan) 126

Human brain methionine- and leucine-enkephalins and their receptors during ageing
J.O. Rinne, P. Lönnberg and P. Marjamäki (Finland) 131

[Leu^5]Enkephalin-like immunoreactive amacrine cells are under nicotinic excitatory control during darkness in chicken retina
M.K. Boelen, M. Dowton and I.G. Morgan (Australia) 137

Dihydrostreptomycin modifies adaptation and blocks the mechano-electric transducer in chick cochlear hair cells
T. Kimitsuki and H. Ohmori (Japan) 143

Medullary μ and δ opioid receptors modulate mesencephalic morphine analgesia in rats
J.M. Kiefel, G.C. Rossi and R.J. Bodnar (USA) 151

Chelation of zinc by diethyldithiocarbamate facilitates bursting induced by mixed antidromic plus orthodromic activation of mossy fibers in hippocampal slices
H. Xu and C.L. Mitchell (USA) 162

(contents continued on p. 360)

0006-8993(19931008)624:1/2;1-Z

BRAIN RESEARCH

VOL. 624 NOS. 1/2 CONTENTS 8 OCTOBER 1993

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Announcement from the Publisher v

Guidelines for the submission of Manuscripts vii

Research Reports

Where does damage lead to enhanced food aversion: the ventral pallidum/substantia innominata or lateral hypothalamus?
H.C. Cromwell and K.C. Berridge (USA) 1

Increased spontaneous unit discharge rates following electrical kindling in the rat
G.C. Teskey and R.J. Racine (Canada) 11

Autonomic areas of rat brain exhibit increased Fos-like immunoreactivity during opiate withdrawal in rats
R.L. Stornetta, F.E. Norton and P.G. Guyenet (USA) 19

Norepinephrine turnover in the goldfish brain is modulated by sex steroids and GABA
V.L. Trudeau, B.D. Sloley and R.E. Peter (Canada) 29

Loss of serotonin uptake sites and immunoreactivity in rat cortex after dexfenfluramine occur without parallel glial cell reactions
N.E. Rowland, A.N. Kalehua, B.-H. Li, S.L. Semple-Rowland and W.J. Streit (USA) 35

Pressor response to microinjection of clonidine into the hypothalamic paraventricular nucleus in conscious rats
H. Ebihara, H. Kawasaki, S. Nakamura, K. Takasaki and A. Wada (Japan) 44

Role of IL-1α in central nervous system immunomodulation of glucoregulation
C.H. Lang, P.E. Molina, K.A. Yousef, P.G. Tepper and N.N. Abumrad (USA) 53

Intracerebroventricular injection of interleukin-1β induces hyperalgesia in rats
T. Oka, S. Aou and T. Hori (Japan) 61

Differential regulation of tyrosine hydroxylase protein and activity in rabbit sympathetic neurones after long-term cold exposure: altered responses in ageing
T. Andrews, J. Lincoln, P. Milner, G. Burnstock and T. Cowen (UK) 69

Neuronal vs. glial somatostatin in the hypothalamus: a cell culture study of the ontogenesis of cellular location, content and release
K. Davidson and G.E. Gillies (UK) 75

Protein kinase C isozymes that mediate enhancement of neurite outgrowth by ethanol and phorbol esters in PC12 cells
R. Roivainen, T. McMahon and R.O. Messing (USA) 85

Concussive brain injury is associated with a prolonged accumulation of calcium: a ^{45}Ca autoradiographic study
I. Fineman, D.A. Hovda, M. Smith, A. Yoshino and D.P. Becker (USA) 94

Intracellular calcium changes associated with cholinergic nicotinic receptor activation in cultured myenteric plexus neurones
J. Trouslard, R. Mirsky, K.R. Jessen, G. Burnstock and D.A. Brown (UK) 103

Possible role of the N-terminus of substance P in kainic acid-induced toxicity in rats
R.A. Velázquez, X. Sun, H.J. Kurtz and A.A. Larson (USA) 109

Circadian rhythms of vasopressin release in primary cultures of rat suprachiasmatic nucleus
K. Watanabe, N. Koibuchi, H. Ohtake and S. Yamaoka (Japan) 115

β-Amyloid peptides induce degeneration of cultured rat microglia
A.R. Korotzer, C.J. Pike and C.W. Cotman (USA) 121

Effects of systemic administration of 6-hydroxydopamine, 6-hydroxydopa and 1-methyl-4-phenyl-1,2,3,6-tetrahydroxypyridine (MPTP) on tuberoinfundibular dopaminergic neurons in the rat
J.-Y. Lin, L.-M. Mai and J.-T. Pan (Taiwan) 126

Human brain methionine- and leucine-enkephalins and their receptors during ageing
J.O. Rinne, P. Lönnberg and P. Marjamäki (Finland) 131

[Leu^5]Enkephalin-like immunoreactive amacrine cells are under nicotinic excitatory control during darkness in chicken retina
M.K. Boelen, M. Dowton and I.G. Morgan (Australia) 137

Dihydrostreptomycin modifies adaptation and blocks the mechano-electric transducer in chick cochlear hair cells
T. Kimitsuki and H. Ohmori (Japan) 143

Medullary μ and δ opioid receptors modulate mesencephalic morphine analgesia in rats
J.M. Kiefel, G.C. Rossi and R.J. Bodnar (USA) 151

Chelation of zinc by diethyldithiocarbamate facilitates bursting induced by mixed antidromic plus orthodromic activation of mossy fibers in hippocampal slices
H. Xu and C.L. Mitchell (USA) 162

(contents continued on p. 360)

0006-8993(19931008)624:1/2;1-Z

(contents continued)

Synergistic brainstem interactions for morphine analgesia
G.C. Rossi, G.W. Pasternak and R.J. Bodnar (USA) 171
Development of chloride transport by the rat choroid plexus, in vitro
J.E. Preston, M. Dyas and C.E. Johanson (USA) 181
Topography of serotonin neurons in the dorsal raphe nucleus that send axon collaterals to the rat prefrontal cortex and nucleus accumbens
E.J. Van Bockstaele, A. Biswas and V.M. Pickel (USA) 188
The nootropic compound BMY-21502 improves spatial learning ability in brain injured rats
J.E.S. Pierce, D.H. Smith, M.S. Eison and T.K. McIntosh (USA) 199
Progeny of mothers drinking corticosterone during lactation has lower stress-induced corticosterone secretion and better cognitive performance
A. Catalani, M. Marinelli, S. Scaccianoce, R. Nicolai, L.A.A. Muscolo, A. Porcu, L. Korányi, P.V. Piazza and L. Angelucci (Italy, Hungary, France) 209
The effects of in utero ethanol administration on the electrophysiological activity of rat nigrostriatal dopaminergic neurons
R.-Y. Shen and L.A. Chiodo (USA) 216
Kainic acid-induced lipid peroxidation: protection with butylated hydroxytoluene and U78517F in primary cultures of cerebellar granule cells
P.S. Puttfarcken, R.L. Getz and J.T. Coyle (USA) 223
The influence of donor age on cografting of adrenal medulla with pretransected peripheral nerve
I. Date, Y. Yoshimoto, Y. Miyoshi, T. Imaoka, T. Furuta, S. Asari and T. Ohmoto (Japan) 233
Aminooxyacetic acid produces excitotoxic brain injury in neonatal rats
J.W. McDonald and D.D. Schoepp (USA) 239
Dopaminergic antagonism within the nucleus accumbens or the amygdala produces differential effects on intravenous cocaine self-administration under fixed and progressive ratio schedules of reinforcement
A. McGregor and D.C.S. Roberts (Canada) 245
Sexual stimulation activates c-*fos* within estrogen-concentrating regions of the female rat forebrain
J.G. Pfaus, S.P. Kleopoulos, C.V. Mobbs, R.B. Gibbs and D.W. Pfaff (USA) 253
Long-lasting changes in the origin of spontaneous discharges from amygdala-kindled rats: piriform vs. perirhinal cortex in vitro
D.C. McIntyre and J.R. Plant (Canada) 268

Short Communications

Facilitatory modulation of mesolimbic dopamine neuronal activity by a μ-opioid agonist and nicotine as examined with in vivo microdialysis
M. Yoshida, H. Yokoo, T. Tanaka, K. Mizoguchi, H. Emoto, H. Ishii and M. Tanaka (Japan) 277
Differential vulnerability to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine of dopaminergic and cholinergic neurons in the monkey mesopontine tegmentum
M.T. Herrero, E.C. Hirsch, F. Javoy-Agid, J.A. Obeso and Y. Agid (France, Spain) 281
The amygdaloid complex, corticotropin releasing factor and stress-induced gastric ulcerogenesis in rats
A. Ray, P.G. Henke, K. Gulati and P. Sen (India, Canada) 286
Induction of tumor necrosis factor-α mRNA in the brain after peripheral endotoxin treatment: comparison with interleukin-1 family and interleukin-6
S. Gatti and T. Bartfai (Sweden, Italy) 291
Effects of chronic nicotine and pilocarpine administration on neocortical neuronal density and [^{3}H]GABA uptake in nucleus basalis lesioned rats
N.N. Sjak-Shie and E.M. Meyer (USA) 295
Fetal hippocampal transplants reduce aberrant mossy fiber sprouting after CA3 pyramidal cell damage
J. Zheng, H. Onodera and K. Kogure (Japan) 299
Glutaminase-like immunoreactivity in rat spinomesencephalic tract cells
R.P. Yezierski, T. Kaneko and K.E. Miller (USA, Japan) 304
Absence of androgen receptors in LHRH immunoreactive neurons
X. Huang and R.E. Harlan (USA) 309
Distribution of calretinin mRNA in rat spinal cord and dorsal root ganglia: a study using non-radioactive in situ hybridization histochemistry
B. Heppelmann and P.C. Emson (Germany, UK) 312
Co-occurrence of γ-aminobutyric acid, parvalbumin and the neurotensin-related neuropeptide LANT6 in pallidal, nigral and striatal neurons in pigeons and monkeys
A. Reiner and K.D. Anderson (USA) 317
Modulation by divalent cations of the current generated by vasopressin in facial motoneurons
S. Alberi, M. Dubois-Dauphin, J.J. Dreifuss and M. Raggenbass (Switzerland) 326
Macrolide antibiotics protect neurons in culture against the *N*-methyl-D-aspartate (NMDA) receptor-mediated toxicity of glutamate
H. Manev, M. Favaron, P. Candeo, E. Fadda, M. Lipartiti and D. Milani (Italy) 331

(contents continued on p. 359)

Xu, H. and Mitchell, C.L.
Chelation of zinc by diethyldithiocarbamate facilitates bursting induced by mixed antidromic plus orthodromic activation of mossy fibers in hippocampal slices (624) 162

Yamada, N. and Bilkey, D.K.
Induction of trypsin-induced hyperexcitability in the rat hippocampal slice is blocked by the *N*-methyl-D-aspartate receptor antagonist, MK-801 (624) 336

Yamaoka, S., see Watanabe, K. (624) 115
Yezierski, R.P., Kaneko, T. and Miller, K.E.
Glutaminase-like immunoreactivity in rat spinomesencephalic tract cells (624) 304
Yokoo, H., see Yoshida, M. (624) 277
Yoshida, M., Yokoo, H., Tanaka, T., Mizoguchi, K., Emoto, H., Ishii, H. and Tanaka, M.
Facilitatory modulation of mesolimbic dopamine neuronal activity by a μ-opioid agonist and nicotine as examined with in vivo microdialysis (624) 277
Yoshimoto, Y., see Date, I. (624) 233
Yoshino, A., see Fineman, I. (624) 94
Yousef, K.A., see Lang, C.H. (624) 53

Zheng, J., Onodera, H. and Kogure, K.
Fetal hippocampal transplants reduce aberrant mossy fiber sprouting after CA3 pyramidal cell damage (624) 299

Induction of trypsin-induced hyperexcitability in the rat hippocampal slice is blocked by the *N*-methyl-D-aspartate receptor antagonist, MK-801
N. Yamada and D.K. Bilkey (New Zealand) 336
Vasoactive intestinal peptide: a growth promotor in neuroblastoma cells
Y. Wollman, G. Lilling, M.N. Goldstein, M. Fridkin and I. Gozes (Israel, USA) 339
Lesions of the suprachiasmatic nucleus do not disturb sexual orientation of the adult male rat
F.P.M. Kruijver, F.H. De Jonge, W.T. Van den Broek, T. Van der Woude, E. Endert and D.F. Swaab (Netherlands) 342
Organization and quantitative analysis of kainate receptor subunit GluR5–7 immunoreactivity in monkey hippocampus
P.F. Good, G.W. Huntley, S.W. Rogers, S.F. Heinemann and J.H. Morrison (USA) 347
Antagonism of estrogenic effects on feeding behavior by central implants of anisomycin
P.C. Butera, R.B. Campbell and D.M. Bradway (USA) 354

Author Index 357